



Government of Maharashtra  
Chatrapati Pramilaraje General Hospital &  
Rajashree Chatrapati Shahu Maharaj Govt. Medical College



E-mail : storercsmgmck@gmail.com

PH NO. 2641583, 2641326

NO.CPRKOP./Fire refiling/QC/ 12 15-CR

/23

Dt. 13/09/2023

M/s.-----  
-----

**Sub :** Quotation for Refilling of Fire Extinguisher.  
**Rif:-** Office Note Date 11/09/2023

S

Please quote your competitive rates in Indian Rupees only for the following items.

| Sr.No. | Name of Item  | Capacity | Qty | Rate Per Qty |
|--------|---|----------|-----|--------------|
| 1      | Dry CO <sub>2</sub> chemical powder for highly Electric Equipment   | 4.5 Kg   | 01  |              |
| 2      | ABC Type dry Chemical Powder  | 10 Kg    | 01  |              |
| 3      | ABC Type dry Chemical Powder  | 2Kg      | 01  |              |
| 4      | ABC Type dry Chemical Powder  | 6KG      | 01  |              |
| 5      | Dry chemical powder for laboratory                                  | 5 Kg.    | 01  |              |
| 6      | Water CO <sub>2</sub> chemical powder for highly Electric Equipment | 9 Kg     | 01  |              |

**Terms and Conditions:**

- 1) All rights are reserved by The Dean. C.P.R. & R.C.S.M.Govt.Medical College Kolhapur to reject any or all quotations without assigning any reason.
- 2) The Item should preferable ISI, ISO marked and Best Quality & Authorised dealer. Samples should be made available by the supplier for demonstration at free of cost to the user department or concern purchase committee. (If required).
- 3) Sealed quotation should reach to C.P.R. Kolhapur office on Date:-13/09/2023 To Date:-15/09/2023 within office time positively. Quotation received after abovementioned date will not be entertained. This office is not liable for any delay of Post office or Courier Agency or at any other conditions.
- 4) The rates quoted should be in inclusive of excise duty, GST, Transportation, Insurance, packing and forwarding and Fittings and Installation charges etc. Rates should be within the market rate limits and should not be more than M.R.P. at any circumstances. At any stage of the quotation process even after completion of the process if it is found that the rates mentioned are more than the M.R.P. the supplier is responsible for refund the difference with interest to this office. Rates should be quoted on companies/organisations letter head.
- 5) Attached the self attested photo copies of PAN Card, GST Registration Certificate, Shop Registration Certificate Please superscript the envelope with "QUOTATION for Refilling of Fire Extinguisher".

  
Dean,

Chatrapati Pramilaraje General Hospital &  
Rajashree Chatrapati Shahu Maharaj Govt. Medical College, Kolhapur

**Copy for publishing on Website**

Dr. Sudesh Gandam, Professor & Head, Dept. of PSM and President, Website Development Committee,  
R.C.S.M.G.M.C. Kolhapur,